----- Local Health Departments -----

Ε	PAGE 1			
-	 	POPULATION	ESTIMATE	ES
	Total 2	2000 Populati	.on	4,560
	-	ation per squ cy ranking in		
	Age	Female	Male	Total
	0-14	730	770	1,500
	15-19	210	210	410
	20-24 25-29	130 110	120 120	250 230
	25-29 30-34	150	120	230 270
	35-39	170	150	320
ł	40-44	160	150	300
	45-54	230	230	460
i	55-64	230	190	420
İ	65-74	150	130	270
ı	75-84	50	50	100
	85+	10	0	10
	Total	2,310	2,250	4,560
	Age	Female	Male	Total
	0-17	870	920	1,780
	18-44	790	730	1,500
	45-64	460	420	880
	65+	210	180	380
	Total	2,310	2,250	4,560

Poverty Estima	ites for 1997	
	Estimate	(C.I.+/-)
All ages	1,292	313
	25.8%	(6%)
Ages 0-17	679	201
	32.9%	(10%)

----- Employment -----Average wage for jobs covered by unemployment compensation \$23,013 Note: based on place of work

Labor Force Estimates	Annual Average
Civilian Labor Force Number employed Number unemployed Unemployment rate	2,371 2,147 224 9.4%

Community Options and MA Waiver Programs

	Clients	Costs
COP	1,612	\$6,006,510
MA Waiver *		
CIP1A	212	\$11,457,851
CIP1B	854	\$25,672,291
CIP2	334	\$3,622,474
COP-W	2,909	\$21,063,737
CSLA	•	\$0
Brain Injury	39	\$1,888,849
Total COP/Wvrs	4,898	\$69,711,713

\$74,015 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.

* Waiver costs reported here include federal funding.

	Clients	costs
Eligible an	d	
Waiting	0	n/a

(Family Care not provided in county)

Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.

Home Health Agencies

Patients Patients per 10,000 pop

racicies per 10,000 pop.	•
Nursing Homes	
Licensed beds	
Occupancy rate	. 9
Residents on Dec.31	
Residents age 65 or older	
per 1,000 population	•

		Per 10,000
Staffing - FTE	Number	Population
Total staff		
Administrative	•	•
Professional staff	•	•
Technical/Paraprof.	•	•
Support staff	•	•
Funding		Per capita
Total	•	•
Local Taxes	•	•

----- Licensed Establishments -----

Type	Capacity	Facilities
Bed & Breakfast		
Camps		
Hotels, Motels	•	•
Tourist Rooming		
Pools		•
Restaurants		
Vending		•

----- WIC Participants -----

	Number
Pregnant/Postpartum	230
Infants	227
Children, age 1-4	376
Total	833

----- Cancer Incidence -----

Primary Site	1999 Number
Breast	•
Cervical	1
Colorectal	3
Trachea, Bronchus, Lung	2
Prostate	
Other sites	8
Total	14

First 28 30 of Mother Births Percent Second 29 31 Married 26 28 28 30 Married 26 28 30 Married 27 29 Married 28 30 Married 27 29 Married 28 30 Married 27 29 30 Married 27 29 Married 27 29 Married 27 29 30 Married 27 29 Married 27 29 Married 27 29 30 Married 27 29 Married 27 29 Married 27 29 30 Married 2	TOTAL LIVE BIRTHS		93	Birth (order	Births	Percent	Marital	Status		
Semeral Fertility Rate 101.5 Third 21 23 Not married 67 72				First			30	of Moth	er	Births	Percent
Fourth or higher 15				Second	i	29	31	Marrie	d	26	28
Fourth or higher 15	General Fertility Rate	е	101.5	Third		21	23	Not ma	rried	67	72
Priest Prenatal Priest Prena				Fourth	n or higher	15	16	Unknow	n	0	0
Pelivery Type				Unknov	vn	0	0				
Number of Percent Sirths Percent Visit Sirths Percent Sirths Percent Sirths Sirths	congenital anomalies		0 . %					Educati	on		
Vaginal after	_	First Prenatal of Mother		.er	Births	Percent					
Vaginal after	Delivery Type	Births	Percent	Visit	.sit Births Percent Elementary or le				3		
Previous cesarean 2				1st tr	rimester	60	65	Some h	igh school	28	30
Forceps	previous cesarean	2	2	2nd tr	rimester	22	24	High s	chool	39	42
Other vaginal 84 90 No visits 2 2 College graduate 4 4 Primary cesarean 3 3 Unknown 0 0 Unknown 0 0 Repeat cesarean 4 4 Month of Prenatal Smoking Status 0 0 0 1 4 4 50 Smoking Status 50 Smoker 50 54 54 4 50 Smoker 50 54 54 4 6 6 6 Nonsmoker 50 54 54 4 6 6 6 Nonsmoker 50 54 4 6 55 54 4 4 6 6 Nonsmoker 50 54 4 6 7 7 4 6 6 6 Nonsmoker 6 Nonsmoker 50 54 4 6 8 8 4 10 Inknown 0	Forceps	0	0	3rd tr	rimester		10	Some c	ollege	19	
Primary cesarean 3 3 3 3 4 4 4 8 8 4 4 8 8 4 4	Other vaginal	84	90	No vis	sits	2	2	Collec	e graduate	4	4
Repeat cesarean of their or unknown	Primary cesarean	3	3			0	0			0	
Other or unknown 0 0 Number of Prenatal Care visits Births Percent Prenatal Precent Prenatal Smoking Status Births Percent Prenatal 8irthweight Births Percent No visits 2 2 2 Smoker Smoker 50 54 4,500-2,499 gm 2 2.2.2 5-9 38 41 Unknown 0		4	4	OIL III OV	***	· ·	· ·	OILLION		Ü	Ü
Care visits Births Percent No visits 2 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4				Number	of Prenatal			Smoking	Status		
Sirthweight Sirths Percent No visits 2 2 2 Smoker 50 54	ociici oi ailiiowii	· ·	Ü			=	Percent	_		Births	Percent
<pre><1,500 gm</pre>	Birthweight	Births	Percent								
1,500-2,499 gm 91 97.8 10-12 33 35	<1.500 cm	0	0.0		5105						0 -
2,500+ gm						-	~				
Unknown		91	97.8					OTITITION	11	O	0
Unknown Color Co		71	٥,٠٥			0.0					
Low Birthweight (under 2,500 gm) Sirths Percent Births Perce	OTIKITOWIT	U	U		m						
Race of Mother Births Percent Births Perc											
White											
Black				Births Percent		Births					
Other Unknown 88 95 2 2.3 59 67 19 22 10 11 Unknown 0 0 . <t< td=""><td>White</td><td>_</td><td>-</td><td></td><td>•</td><td>1</td><td>20</td><td>3</td><td>60</td><td>1</td><td>20</td></t<>	White	_	-		•	1	20	3	60	1	20
Unknown 0 0 . </td <td>Black</td> <td></td> <td></td> <td></td> <td>•</td> <td></td> <td>•</td> <td>•</td> <td></td> <td></td> <td></td>	Black				•		•	•			
Low Birthweight Sertility Cunder 2,500 gm Sirths Percent S	Other	88		2	2.3	59	67	19	22		
Low Birthweight Sertility Cunder 2,500 gm Sirths Percent S	Unknown	0	0		•						•
Fertility Cunder 2,500 gm Sirths Percent Births Percent											
Age of Mother Births Rate Births Percent Births Percent Births Percent Births Percent Births Percent 15-17 7 . 1 14.3 2 29 3 43 2 29 18-19 11 8 73 1 9 2 18 20-24 37 278 1 2.7 24 65 11 30 2 5 25-29 20 187 . . . 16 80 3 15 1 5 30-34 15 . </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td colspan="3"></td> <td colspan="2"></td>						1					
<15 0 .			-			IST II	Imester				
15-17 7 . 1 14.3 2 29 3 43 2 29 18-19 11 8 73 1 9 2 18 20-24 37 278 1 2.7 24 65 11 30 2 5 25-29 20 187 . . 16 80 3 15 1 5 30-34 15 . . . 8 53 4 27 3 20 35-39 2 . * . * . * . * . * 40+ 1 . * . * . * 	las of Wother	BILLUS		BILLIS I				BILLIS	Percent	BILLIS	Percent
18-19 11 8 73 1 9 2 18 20-24 37 278 1 2.7 24 65 11 30 2 5 25-29 20 187 . . 16 80 3 15 1 5 30-34 15 . . . 8 53 4 27 3 20 35-39 2 . * . * . * . * . . * .	Age of Mother		_			•	•	•		•	
20-24 37 278 1 2.7 24 65 11 30 2 5 25-29 20 187 . . 16 80 3 15 1 5 30-34 15 . . . 8 53 4 27 3 20 35-39 2 . * . * . * . * . 40+ 1 . * . * . * . . .	<15	•		• 1		2	20				29
25-29 20 187 . . 16 80 3 15 1 5 30-34 15 . . . 8 53 4 27 3 20 35-39 2 . * . * . * . * . 40+ 1 . * . * . * . * .	<15 15-17	7		1		2	29 73	_			10
30-34 15 . . . 8 53 4 27 3 20 35-39 2 . * . * . * . * . 40+ 1 . * . * . * . * .	<15 15-17 18-19	7 11			14.3	8	73	1	9	2	
35-39 2 . * . * . * . * . * . * . * . * . * . . * . . * . <td><15 15-17 18-19 20-24</td> <td>7 11 37</td> <td>278</td> <td>1</td> <td>14.3</td> <td>8 24</td> <td>73 65</td> <td>1 11</td> <td>9 30</td> <td>2 2</td> <td>5</td>	<15 15-17 18-19 20-24	7 11 37	278	1	14.3	8 24	73 65	1 11	9 30	2 2	5
40+	<15 15-17 18-19 20-24 25-29	7 11 37 20	278	1	14.3	8 24 16	73 65 80	1 11 3	9 30 15	2 2	5 5
	<15 15-17 18-19 20-24 25-29 30-34	7 11 37 20 15	278	1	14.3 2.7	8 24 16 8	73 65 80	1 11 3	9 30 15	2 2	5 5
Unknown 0 .<	<15 15-17 18-19 20-24 25-29 30-34 35-39	7 11 37 20 15	278	1	14.3 2.7	8 24 16 8	73 65 80	1 11 3	9 30 15	2 2	5 5
	<15 15-17 18-19 20-24 25-29 30-34 35-39 40+	7 11 37 20 15 2	278	1	14.3 2.7	8 24 16 8	73 65 80	1 11 3	9 30 15	2 2	5 5

Pedestrian

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 36 Selected 789 Underlying Cause Deaths Rate Campylobacter Enteritis Crude Death Rate Giardiasis Heart Disease (total) Ω Hepatitis Type A Ischemic heart disease 0 Hepatitis Type B** Cancer (total) 0 Age Deaths Rate 12 Hepatitis NANB/C 3 0 | 1-4 Trachea/Bronchus/Lung Legionnaire's Colorectal 0 5-14 Female Breast Lyme <5 l 15-19 20-34 35-54 55-64 65-74 . 2 8 5 14 6 Measles Cerebrovascular Disease Measies Meningitis, Aseptic Meningitis, Bacterial 0 Lower Resp. Disease 0 | Pneumonia & Influenza *** Mumps Pertussis Accidents *** Motor vehicle Diabetes 75-84 Salmonellosis 85+ 1 Infectious & Parasitic Shigellosis <5 Tuberculosis Suicide Infant Mortality Deaths 2000 provisional data * Rate for female breast cancer based Rate ** Includes all positive HBsAg Total Infant . . on female population. test results Neonatal Postneonatal *** Unavailable at time of printing ALCOHOL AND DRUG ABUSE AS UNDERLYING Unknown OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease Chlamydia Trachomatis 60 Race of Mother Alcohol Alcohol 1
Other Drugs 2
Both Mentioned . Genital Herpes White Black Other Gonorrhea <5 Syphilis Unknown ----- MOTOR VEHICLE CRASHES -----Birthweight <1,500 gm . . . Note: These data are based on location ----- IMMUNIZATIONS ----of crash, not on residence. <1,500 gm . 1,500-2,499 gm . 2,500+ gm . Unknown . Type of Motor Children in Grades K-12 by Persons Persons Vehicle Crash Compliance Level Injured Killed Compliant 1,220
Non-compliant 36
Percent Compliant 97.1 Total Crashes Alcohol-Related 6 Ω Perinatal With Citation: Mortality Deaths Rate For OWI 4 0 For Speeding 0
Motorcyclist 2
Bicyclist 1 Total Perinatal 1
Neonatal .
Fetal 1 0 Motorcyclist
Bicyclist 0 1 0 Bicyclist

Per Average Charge Per Average Charge 1,000 Stay DISEASE / 1,000 Stay Average Per DISEASE / Average Per AGE GROUP Number Pop (Days) Charge Capita AGE GROUP Number Pop (Days) Charge Capita Alcohol-Related Injury-Related: All Total 63 13.8 4.1 \$9,438 Total 89 19.5 4.3 \$3,544 18-44 49 32.5 3.7 \$2,894 \$130 \$69 12 . 32 21.2

 18-44
 49
 32.5
 3.7
 \$2,894

 45-64
 23
 25.8
 4.3
 \$3,625

 <18 \$94 18-44 3.6 \$10,160 \$215 \$94 45-64 12 . Pneumonia and Influenza 65+ Total 32 7.0 4.3 \$6,600 \$46 10 . . Injury: Hip Fracture <18 Total 3 45-64 65+ 4 1 65+ 15 Injury: Poisonings Cerebrovascular Disease Total 6 Total 8 18-44 3 45-64 6 Psychiatric Chronic Obstructive Pulmonary Disease Total 68 14.9 Total 20 4.4 2.7 \$3,930 6.6 \$4,102 \$61 \$17 37 20.8 8.1 \$4,727 27 17.9 5.3 \$3,415 5 <18 \$98 <18 18-44 27 17.9 45-64 3 . 65+ 1 . 18-44 1 \$61 45-64 8 65+ 6 Drug-Related Coronary Heart Disease Total Total 29 6.4 4.2 \$18,496 \$118 18-44 Total Hospitalizations Total 808 177.1 3.5 \$6,132 \$1,086 Malignant Neoplasms (Cancers): All Total 14 . . 18-44 1 45-64 4 65+ 8 4 . 8 . Neoplasms: Female Breast (rates for female population) ----- PREVENTABLE HOSPITALIZATIONS* ------Total 100 21.9 3.3 \$4,886 \$107 <18 20 11.3 1.8 \$2,664 \$30 18-44 12 8.0 3.8 \$5,188 \$41 45-64 30 33.7 3.6 \$5,561 \$187 65+ 38 98.4 3.7 \$5,428 \$534 Total 0 Neoplasms: Colo-rectal Total 2 65+ 2 2 Neoplasms: Lung Total * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. Diabetes The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Total 65+ 2 Please refer to the note at the bottom of this page in the

| 1996 and 1997.

1997 report for an explanation of the change made between